



Instruction Information / Montagehinweis

LED Tail Lights/ LED Rücklichter (945 223 135LRC; 945 223 135LRS; 945 223 135LSW)



Before you attach your tail lights on your car please following the instruction:

- Please disconnect the ground of the battery.
- On the back side of the tail lights you see a few characters which stand for:

G = ground
I = indicator
F = fog lamp (optional)
S = stop light
P = parking light
R = reverse light

Bei der Montage am Fahrzeug beachten Sie bitte Folgendes:

- Bevor Sie mit der Montage der Lampe beginnen, klemmen Sie das Masseband ab.
- Die auf der Rückseite befindlichen Buchstabenkürzel neben den Flachsteckern sind folgendermaßen belegt:

G = Masse
I = Blinker
F = Nebelschlussleuchte (optional)
S = Bremslicht
P = Standlicht
R = Rückfahrlicht



Note!

- The fog lamp could be connected as a pair or single (driver's side). A yellow control lamp on the dashboard is necessary.
- Make sure the mounting surface is true and give an equal contact to the rubber seal.
- Use the flexible rubber hose to route the wires to the side apron. The zip tie can be used to additionally secure the hose in the rubber gasket of the tail lamp.
- After mounting please check the function of the lights.

Hinweis!

- Die Nebelschlussleuchte kann paarweise oder einzeln (Fahrerseite) angeschlossen werden. Eine gelbe Kontrollleuchte im Armaturenbrett ist vorgeschrieben.
- Bei der Montage ist unbedingt auf eine gleichmäßige Abdichtung der Gummiunterlage zu achten.
- Bitte verwenden Sie den beiliegenden flexiblen Schlauch für die Zuführung der Kabel. Ggf. kann mittels eines Kabelbinders eine zusätzliche Sicherung gegen ein evt. Herausrutschen des Schlauches aus der Gummiunterlage erzielt werden.
- Nach erfolgter Montage führen sie einen Lichttest durch.



For further questions and information
you reach us on the following ways:

Custom & Speed Parts
Autoteile GmbH
Am Redder 3
D-22941 Bargteheide

www.csp-shop.com
info@csp-shop.com
Phone. +49-4532-23240
Phone. +49-4532-202622
Fax. +49-4532-22222

Opening times:
Mo - Fr: 08.00 - 18.00 MEZ

Für weitere Fragen und Informatio-
nen erreichen Sie uns auf folgen-
den Wegen:

Custom & Speed Parts
Autoteile GmbH
Am Redder 3
D-22941 Bargteheide

www.csp-shop.de
info@csp-shop.de
Tel. +49 (0)4532 23240
Tel. +49 (0)4532 202622
Fax. +49 (0)4532 22222

Öffnungszeiten:
Mo - Fr: 08.00 - 18.00 MEZ